





ENDURING HIGH PERFORMANCE

Long-term yield security with Anti LID Technology, Anti PID Technology¹, Hot-Spot Protect and Traceable Quality Tra.Q™.



EXTREME WEATHER RATING

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa).



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative 12-busbar design with Q.ANTUM Technology.

- ¹ APT test conditions according to IEC/TS 62804-1:2015, method B (-1500 V, 168h)
- ² See data sheet on rear for further information.


THE IDEAL SOLUTION FOR:



Rooftop arrays on residential buildings







ELECTRICAL CHARACTERISTICS

PO	VER CLASS			345	350	355	360
MIN	IIMUM PERFORMANCE AT STANDA	RD TEST CONDITIO	NS, STC1 (PO	WER TOLERANCE +5 W /	-0W)		
	Power at MPP¹	P _{MPP}	[W]	345	350	355	360
_	Short Circuit Current ¹	I _{sc}	[A]	10.68	10.74	10.79	10.84
mun	Open Circuit Voltage ¹	V _{oc}	[V]	40.45	40.70	40.95	41.19
Mini	Current at MPP	I _{MPP}	[A]	10.17	10.22	10.28	10.33
_	Voltage at MPP	V_{MPP}	[V]	33.92	34.24	34.55	34.85
	Efficiency ¹	η	[%]	≥19.3	≥19.5	≥19.8	≥20.1
MIN	IIMUM PERFORMANCE AT NORMAL	OPERATING CONE	DITIONS, NMC	OT ²			
	Power at MPP	P _{MPP}	[W]	258.4	262.1	265.9	269.6
E	Short Circuit Current	I _{sc}	[A]	8.61	8.65	8.69	8.74
i.	Open Circuit Voltage	V _{oc}	[V]	38.14	38.38	38.61	38.85
⋚	Current at MPP	I _{MPP}	[A]	8.00	8.05	8.09	8.13
	Voltage at MPP	V _{MPP}	[V]	32.28	32.57	32.87	33.16

¹Measurement tolerances P_{MPP} ±3%; I_{SC}; V_{DC} ±5% at STC: 1000 W/m², 25±2°C, AM 1.5 according to IEC 60904-3 • ²800 W/m², NMOT, spectrum AM 1.5


Q CELLS PERFORMANCE WARRANTY

N I DO BY Standard terms of guarantee for the 10 PV companies with the highest production specify not 15 go (see 15 Spenner 2014)

At least 98% of nominal power during first year. Thereafter max. 0.54% degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C, 1000 W/m²).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{SC}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.35	Normal Module Operating Temperature	NMOT	[°C]	43±3

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage	V_{SYS}	[V]	1000 (IEC)/1000 (UL)	Safety Class	II
Maximum Reverse Current	I_R	[A]	20	Fire Rating based on ANSI/UL 1703	C (IEC)/TYPE 2 (UL)
Max. Design Load, Push / Pull		[Pa]	3600/2667	Permitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/4000	on Continuous Duty	

QUALIFICATIONS AND CERTIFICATES

PACKAGING INFORMATION

VDE Quality Tested, IEC 61215:2016; IEC 61730:2016, Application Class II; This data sheet complies with DIN EN 50380.







Number of Modules per Pallet	32		
Number of Pallets per Trailer (24t)	28		
Number of Pallets per 40' HC-Container (26t)	24		
Pallet Dimensions (L × W × H)	1815 × 1150 × 1220 mm		
Pallet Weight	683kg		

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

